

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("702"/\$.ccls. "713"/\$.ccls. "307"/\$.ccls.) and (manag\$6 with power with data) and (time with period) and (net with power with consumption with application) and (error with power with data) and (divid\$3 with updat \$3 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 16:15
L2	1	("702"/\$.ccls. "713"/\$.ccls. "307"/\$.ccls.) and (manag\$6 with power with data) and (time with period) and (net with power with consumption with application) and (error with power with data) and (divid\$3 with updat \$3 with power with data)	US-PGPUB	OR	ON	2008/02/21 16:16
L3	1	("702"/\$.ccls. "713"/\$.ccls. "307"/\$.ccls.) and ((manag\$6 with power with data) and (time with period) and (net with power with consumption with application) and (error with power with data) and (divid\$3 with updat \$3 with power with data)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 16:16
L4	1	("702"/\$.ccls. "713"/\$.ccls. "307"/\$.ccls.) and (manag\$6 with power with data) and ((run running) with time with application) and (error with updat\$3 with frequency) and (net with power with consumption with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 16:20

L5	1	("702"/\$.ccls. "713"/\$.ccls. "307"/\$.ccls.) and (manag\$6 with power with data) and ((run running) with time with application) and (error with updat\$3 with frequency) and (net with power with consumption with application)	US-PGPUB	OR	ON	2008/02/21 16:20
L6	0	("702"/\$.ccls. "713"/\$.ccls. "307"/\$.ccls.) and ((manag\$6 with power with data) and ((run running) with time with application) and (error with updat\$3 with frequency) and (net with power with consumption with application)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 16:20
L7	1	("702"/\$.ccls. "713"/\$.ccls. "307"/\$.ccls.) and ((manag\$6 with power with data) and ((run running) with time with application) and ((comput\$3 measur\$6 calculat\$3) with power with value) and (difference with net with power with value with threshold)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 16:25
L8	1	("702"/\$.ccls. "713"/\$.ccls. "307"/\$.ccls.) and ((manag\$6 with power with data) and ((run running) with time with application) and ((comput\$3 measur\$6 calculat\$3) with power with value) and (difference with net with power with value with threshold)).clm.	US-PGPUB	OR	ON	2008/02/21 16:25

L9	1	("702"/\$.ccls. "713"/\$.ccls. "307"/\$.ccls.) and ((manag\$6 with power with data) and ((run running) with time with application) and ((comput\$3 measur\$6 calculat\$3) with power with value) and (subtract\$3 with power baseline with state)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 16:28
L10	1	("702"/\$.ccls. "713"/\$.ccls. "307"/\$.ccls.) and ((manag\$6 with power with data) and ((run running) with time with application) and ((comput\$3 measur\$6 calculat\$3) with power with value) and (subtract\$3 with power baseline with state)). clm.	US-PGPUB	OR	ON	2008/02/21 16:28
S1	2	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 13:25
S2	2	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (baseline with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:33
S3	0	(power with evaluat\$3) and (retrieve with power with data) and (operating with system) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 12:36
S4	2	(power with evaluat\$3) and (retriev\$3 with power with data) and (operating with system) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:54

S5	5	(power with evaluat\$3) and (retriev\$3 with data) and (operating with system) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:28
S6	0	10/789188	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 16:03
S8	5	(power with evaluat\$3) and (retriev\$3 with data) and (operating with system) and (net with power with consumption) and (power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:30
S9	0	S8 and (drain with rate with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:30
S10	0	S8 and (drain with rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:30
S12	0	(power with evaluat\$3) and retrieve and (drain with rate) and (operating with system) and (net with power with consumption) and (power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:12
S13	0	(power with evaluat\$3) and (drain with rate) and (operating with system) and (net with power with consumption) and (power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:31
S14	2	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (baseline with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:33

S15	2	S14 and baseline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:34
S16	2	S15 and (capacity with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:35
S17	0	S16 and (drain with rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:36
S18	2	S16 and drain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:36
S19	0	(power with measur\$6 with computer) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:50
S20	0	(power with measur\$6) and (power with computer) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:51
S21	0	(power with measur\$6) and (power with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:51
S22	3	(power with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 14:48

S23	804	(power with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:28
S24	103	(power with measur\$6 with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:54
S25	9	S24 and (retriev\$3 with power with data) and (operating with system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:21
S27	1	S25 and (time with period with operating with system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:31
S28	103	(power with measur\$6 with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:21
S29	0	S28 and (subtract with power with capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:25
S30	0	S28 and (subtract\$3 with power with capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:22
S31	1	S28 and (drain with rate with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:23
S32	0	S28 and (subtract with power with amount)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:25

S33	0	S28 and (subtract\$3 with power with amount)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:26
S34	0	S28 and (systematic with error with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:27
S35	0	S28 and (systematic with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:43
S36	0	(power with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (power with consumption) and (systematic with error with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:28
S37	0	(manag\$6 with power with data) and (collect \$4 with power with data) and (net with power with consumption) and (power with data with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:14
S38	34	(manag\$6 with power with data) and (collect \$4 with power with data) and (power with data with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:12
S39	0	S38 and (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:13
S40	0	S38 and (update with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:12

S41	0	(manag\$6 with power with data) and (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:14
S42	10	(power with data) and (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:00
S43	0	S42 and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:14
S44	2	S42 and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:14
S45	1	(power with data) same (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:16
S46	0	(power with data) same (update near5 frequency near5 sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:16
S47	12	(amount with power with used) same ((run running) with application) and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 14:50
S48	617	702/65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:32
S49	15	S48 and (collect\$3 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:32
S50	8	S49 and sufficient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:33

S51	18	(power with data) same (systematic with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:31
S52	1	S51 and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:46
S53	1	S51 and (computer with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:45
S54	14	S51 and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:46
S55	256	(power with data with error) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:01
S56	9	S55 and (amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:57
S57	8	(power near2 data near2 error) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:03
S58	299	(power near2 error) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:17
S59	299	(power near2 error) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:24
S60	10	S59 and (power with used with (run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:24

S61	179	(error adj2 power) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:24
S62	4	S61 and (power with used with (run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:25
S63	2	(power near2 error) and (amount with power with used with (run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:26
S64	2	(evaluat\$3 with power) same (systematic with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:31
S65	54	(evaluat\$3 near2 power) and (systematic near1 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:32
S66	8	S65 and (collect\$3 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:36
S67	8	"713"/\$.ccls. and (systematic near1 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:36
S68	9	(manag\$6 with power with data) and (systematic near1 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:41
S69	0	(measur\$6 with power with data) and (systematic near1 error near2 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:41
S70	11	(measur\$6 with power with data) and (systematic with error with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:59

S71	10	(measur\$6 with power with data) and (update with frequency with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:39
S73	1	S71 and (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:01
S74	33	(manag\$6 with power with data) and (computer laptop CPU) and (power adj data) and (power near2 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 09:10
S75	0	S74 and (power with (run runing) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 08:14
S76	0	S74 and ((run runing) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 08:14
S77	5	S74 and (application with process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 08:15
S78	12	(manag\$6 with power with data) and (computer laptop CPU) and (power adj data) and (updat\$3 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:38
S79	10	S78 and sufficient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 09:11
S80	3	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (net with power with consumption) and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 07:48

S81	1	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (net with power with consumption) and battery and (data with retriever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 07:50
S82	3	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (net with power with consumption) and battery and (power near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:02
S83	162	(manag\$6 with power with data) and ((power with data with suppl\$4 with (computer CPU (operating adj system) microcomputer microprocessor)) same battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:05
S84	79	S83 and (power with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:06
S85	5	S84 and (amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:08
S86	5	S85 and (time adj period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:03
S87	162	(manag\$6 with power with data) and ((power with data with suppl\$4 with (computer CPU (operating adj system) microcomputer microprocessor)) same battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:03
S88	79	S87 and (power with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:03

S89	5	S88 and (amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S90	5	S89 and (time adj period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:03
S91	3	S90 and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:06
S92	3	S91 and (time with period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:06
S93	162	(manag\$6 with power with data) and ((power with data with suppl\$4 with (computer CPU (operating adj system) microcomputer microprocessor)) same battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:07
S94	79	S93 and (power with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S95	5	S94 and (amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S96	5	S95 and (time adj period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S97	3	S96 and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11

S98	3	S97 and (time with period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S99	1	S98 and (amount near1 power near1 used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:13
S100	1	(application with amount with power with used) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:14
S101	4	(application same (amount with power with used)) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:53
S102	2	(application with manag \$6 with power with suppl\$4) and (amount with power with used) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:17
S103	0	(application with manag \$6 with power with suppl\$4) and (amount with power with (run\$4 excecute\$3) with application) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:18
S104	0	(application with manag \$6 with power with suppl\$4) and (amount with power with (run\$4 execut\$4) with application) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:19
S105	0	(application with manag \$6 with power with suppl\$4) and (amount with power with (run\$4 execut\$4) with application) and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:19

S106	2	(application with manag\$6 with power with suppl\$4) and (power with (run\$4 execut\$4) with application) and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:58
S107	2	S106 and (amount with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:20
S108	4	(power with evaluat\$3) same (application with manag\$6 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:56
S109	37	(power with evaluat\$3) and (application with manag\$6 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:09
S110	23	S109 and (application with evaluat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:57
S111	7	S110 and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:01
S112	8	S110 and (power with suppl\$4) and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:02
S113	32	(manag\$6 with power with data) and (power with data with suppl\$4) and (power with evaluat\$4) and (computer CPU (operating adj system) microcomputer microprocessor) and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:57
S114	3	S113 and ((run\$4 execut\$4) with application with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:17

S115	3	S114 and ((amount calculat\$3) with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:18
S116	46	(manag\$6 with power with data) and (determin\$3 with amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:26
S117	25	S116 and (power with data with suppl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:08
S118	2	S117 and (application with manag\$6 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:10
S119	4	S117 and (application with manag\$6 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:12
S120	2	S117 and (power with management with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:15
S121	4	S117 and (power with manag\$4 with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:23
S122	0	S121 and (time with period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:23
S123	1	S117 and (power with manag\$4 with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:21
S124	1	S121 and (evaluat\$4 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:24

S125	36	(manag\$6 with power with data) and (determin\$3 with amount with power with used) and (time with period) and (software application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:31
S126	3	S125 and (power with suppl\$4 with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:27
S127	44	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (software application) and (power with suppl\$4 with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:32
S128	20	S127 and ((run\$4 execut\$4) with (application software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:34
S129	3	S128 and (evaluat\$3 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:46
S130	1	S116 and (update with frequency with power with data) and sufficient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:45
S131	1	S116 and (update with frequency with power with data) and (power with data with (satisfactory enough sufficient adequate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:47
S132	1	S116 and (update with power with data) and (power with data with (satisfactory enough sufficient adequate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:46
S133	1	S116 and (update with frequency with (satisfactory enough sufficient adequate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:47

S134	3	S116 and (update with power with (satisfactory enough sufficient adequate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:47
S135	1	(manag\$6 with power with data) and (power with data with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and granularity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:58
S136	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and granularity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:01
S137	10	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and (application software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:59
S138	1	S137 and (evaluat\$3 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:59
S139	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and granular\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:03

S140	2	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and (updat\$2 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:04
S141	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and ((application software) with power) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:06
S142	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (application software) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:06
S143	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:07
S144	1	(manag\$6 with power with data) and (systematic with error) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:07
S145	1	(manag\$6 with power) and (systematic with error) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:08
S146	3	(manag\$6 with power) and (systematic with error) and (updat\$2 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 17:02
S147	1	(power with consumption) and ((systematic with error) same (updat\$2 with frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:10

S148	3	(manag\$6 with power) and (systematic with error) and (updat\$3 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:22
S149	6	(manag\$6 with power) and (systematic with error) and (power with consumption) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:24
S150	5	(manag\$6 with power with data) and (systematic with error) and (power with consumption) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:25
S151	5	(manag\$6 with power with data) and (systematic with error) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:43
S152	151	(manag\$6 with power with data) and (system with error) and (application with power with data) and (power with suppl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:44
S153	5	S152 and (updat\$3 with frequency with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:44
S154	44	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (software application) and (power with suppl\$4 with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:48
S155	20	S154 and ((run\$4 execut \$4) with (application software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:46

S156	1	S155 and (evaluat\$3 with power) and (system with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:46
S157	5	S155 and (system with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:47
S158	2	S152 and (amount with power with used) and (software application) and (power with suppl \$4 with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:49
S159	4	(manag\$6 with power with data) and ((system with error) same (updat \$2 with frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 17:05
S160	4	(manag\$6 with power with system) and ((system with error) same (updat\$2 with frequency with power with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 17:08
S161	4	(manag\$6 with power with system) and ((system with error) same (updat\$2 with frequency) same (power with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 17:08
S162	1	(power with evaluat\$3) and (data with retriev \$3) and (retriev\$3 with power with data) and (operating with system) and battery and (net with power with consumption) and (data with processor) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:15

S163	7	(power with evaluat\$3) and (data with retriev\$3) and (retriev\$3 with power with data) and (operating with system) and battery and (power with consumption) and (data with processor) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:18
S164	7	(power with evaluat\$3) and (data with retriev\$3) and (retriev\$3 with power with data) and (operating with system) and battery and consumption and (data with processor) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:19
S165	3	(power with evaluat\$3) and (data with retriev\$3) and (retriev\$3 with power with data) and (operating with system) and battery and consumption and (data with processor) and (application with power with (run running))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:21
S166	1	(power with evaluat\$3) and (data with retriev\$3) and (retriev\$3 near2 power near2 data) and (operating with system) and battery and consumption and (application with power with (run running))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:23
S167	6	(data with retriev\$3) and (retriev\$3 near2 power near2 data) and (operating with system) and battery and consumption and (application with power with (run running))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:23

S168	2	(drain near2 rate) same battery same (period with time with measur \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 13:27
S169	1	((integrat\$3 with drain near2 rate) same battery) and (period with time with measur \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 13:39
S170	8	(integrat\$3 with drain with rate with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 13:32
S177	9	(error with power with data) and (updat\$3 with power with data) and (divid\$3 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 01:33
S178	0	(error with power with data) and (updat\$3 with power with data) and (divid\$3 near2 power near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 01:29
S179	3	(error with power with data) and (divid\$3 with power with data with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 01:34
S180	1	(error with power with data) and (divid\$3 with power with data) and (power with run with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 01:35
S181	7	(divid\$3 with power with data) and (power with run with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 01:35
S182	2	"5600841".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:46

S183	0	S182 and (reduce with system with error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 14:47
S184	1	S182 and reduce and (system with error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 14:48
S185	2	"20030009705".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 14:48
S186	1	S185 and run\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:05
S187	30	(power near2 data) and (time with run with application) and (display with run with time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:11
S188	3	(frequency with power with data) and (time with run with application) and (display with run with time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:24
S189	27	((display displaying) with power with data) and (time with run with application) and (display with run with time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:55
S190	0	S189 and (display\$2 with timing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:28

S191	0	S189 and (display\$3 with timing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:28
S192	24	(updat\$3 with frequency with power with (sufficient enough)) and (power near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:53
S193	1	10/789188 and ((updat \$3 with frequency) same (power with (sufficient enough))) and (power near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:37
S194	1	10/789188 and (updat \$3 with frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:50
S195	1	10/789188 and (enough sufficient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:51
S196	0	("20030009705" "20030085621" "20030226049" "20040243376" "5600841" "5652893"). PN. and (updat\$3 with frequency) and (power near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:40
S197	1	(updat\$3 with frequency with power with data) and (manag \$3 near2 power near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:55
S198	65	(updat\$3 with frequency with power with data) and (power near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:55

S199	0	S198 and ((display displaying) with power with data) and (time with run with application) and (display with run with time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:55
S200	3	S198 and ((display displaying) with power with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:56
S201	26	((updat\$3 with frequency) same (power with (sufficient enough))) and (power near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:38
S202	1	((updat\$3 with frequency) same (power adj3 (sufficient enough))) and (power near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:38
S203	12	("20030009705" "20030085621" "20030226049" "20040243376" "5600841" "5652893"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 16:08
S204	3	(updat\$3 near5 frequency near5 power near5 data) and (power near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 18:32
S205	2	"6285886".pn. and (transmit\$3 with power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 18:32
S206	47	(system with run\$4 with application) same (power near2 amount)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 02:01

S207	9	(system with run\$4 with application) same (power near2 amount with requir\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 02:04
S208	6	(system with run\$4 with application) same (power near2 amount near2 requir\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 02:04
S209	2	"6285866".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 15:39
S210	2	"6,285,886".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 15:39
S211	1	10/789188	US-PGPUB	OR	ON	2007/10/06 16:03
S212	0	("20030009705" "20030085621" "20030226049" "20040243376" "5600841" "5652893" "6285886").PN. and (error with update with frequency) and (power with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 17:11
S213	0	("20030009705" "20030085621" "20030226049" "20040243376" "5600841" "5652893" "6285886").PN. and (error with update with frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 16:09
S214	0	("20030009705" "20030085621" "20030226049" "20040243376" "5600841" "5652893" "6285886").PN. and (error with updat\$3 with frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 16:09

S215	0	("20030009705" "20030085621" "20030226049" "20040243376" "5600841" "5652893" "6285886").PN. and (error same (updat\$3 with frequency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 16:10
S216	0	("20030009705" "20030085621" "20030226049" "20040243376" "5600841" "5652893" "6285886").PN. and (error same (updat\$3 with frequenc\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 16:10
S217	1	("20030009705" "20030085621" "20030226049" "20040243376" "5600841" "5652893" "6285886").PN. and (error with power with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 17:11

2/21/2008 4:29:26 PM

C:\Documents and Settings\jle\My Documents\EAST\Workspaces\10789188.wsp